ELSEVIER

Neuroscience Letters 261 (1999) 192–194

Neuroscience Letters

# Author Index to Volume 261

Ahangari, R., see Samsam, M., 179
Alfonsi, E., see Sandrini, G., 5
Ali, S.F., see Hussain, S., 21
Amir, S., see Arvanitogiannis, A., 159
Anagnostou, E., see Skrandies, W., 57
Anthony, M., see Pan, Y., 17
Armstrong , R.A., Do &itl$\beta$-amyloid (A$\beta$) deposits in patients with Alzheimer's disease and Down's syndrome grow according to the log-normal model?, 97
Arvanitogiannis, A., Amir, S., Resetting the rat circadian clock by ultra-short light flashes, 159
Atzori, C., see Migheli, A., 25
Azzena, G.B., Mancinelli, R., Nitric oxide regenerates the normal colonic peristaltic activity in *mdx* dystrophic mouse, 9

Bagdy, G., see Filakovszky, J., 89
Balaban, P.M., see Malyshev, A.Y., 65
Bauer, J., see Hüll, M., 33
Bendotti, C., see Migheli, A., 25
Bert, L., see Desvignes, C., 175
Bodemer, M., see Kropp, S., 124
Boose, A., Dichgans, J., Topka, H., Deficits in phasic muscle force generation explain insufficient compensation for interaction torque in cerebellar patients, 53
Borbély, A.A., Schwierin, B., 61
Bosch, M.A., see Chai, L., 45
Botsford, S.A., Dean, C., Hopp, F.A., Seagard, J.L., Presence of glutamate receptor subtypes on barosensitive neurons in the nucleus tractus solitarius of the dog, 113
Bou, C., see Lajard, A.M., 41
Bruehl, C., see Reinecke, S., 85
Burgunder, J.-M., see Kaelin-Lang, A., 189

Carvalho, A.P., see Sequeira, S.M., 29
Carvalho, C.M., see Sequeira, S.M., 29
Castaldo, L., see Lucini, C., 163
Chai, L., Bosch, M.A., Moore, J.M., Rønnekleiv, O.K., Chronic prenatal cocaine treatment down-regulates $\mu$-opioid receptor mRNA expression in the brain of fetal Rhesus Macaque, 45
Cheng, J.-T., see Yu, W.-J., 37
Cheung, C.Y., Tang, F., The effect of streptozotocin-diabetes on $\beta$-endorphin level and proopiomelanocortin gene expression in the rat pituitary, 118
Chiba, A., Oka, S., Serotonin-immunoreactive structures in the central nervous system of the garfish *Lepisosteus productus* (Semionotiformes, Osteichthyes), 73
Chin, W.-T., see Yu, W.-J., 37
Cho, R., Kapur, S., Du, L., Hrdina, P., Relationship between central and peripheral serotonin 5-HT$_{2A}$ receptors: a positron emission tomography study in healthy individuals, 139
Clarkson, T.B., see Pan, Y., 17
Cordera, S., see Migheli, A., 25
Corrêa, S.A.L., Hoffmann, A., Reciprocal connections between the preglomerular complex and the dorsolateral telencephalon in the weakly electric fish, *Gymnotus carapo*, 131
Coveñas, R., see Samsam, M., 179

Dean, C., see Botsford, S.A., 113
DeKosky, S.T., see Luedecking, E.K., 186
Denoroy, L., see Desvignes, C., 175
Desvignes, C., Bert, L., Vinet, L., Denoroy, L., Renaud, B., Lambás-Señas, L., Evidence that the neuronal nitric oxide synthase inhibitor 7-nitroindazole inhibits monoamine oxidase in the rat: in vivo effects on extracellular striatal dopamine and 3,4-dihydroxyphenylacetic acid, 175
Dichgans, J., see Boose, A., 53
Du, L., see Cho, R., 139

Egorov, A.V., Müller, W., Subcellular muscarinic enhancement of excitability and $Ca^{2+}$-signals in CA1-dendrites in rat hippocampal slice, 77
Eistetter, J., see Hüll, M., 33

Fiebich, B.L., see Hüll, M., 33
Filakovszky, J., Gerber, K., Bagdy, G., A serotonin-1A receptor agonist and an *N*-methyl-D-aspartate receptor antagonist oppose each others effects in a genetic rat epilepsy model, 89
Fukamizu, A., see Okuyama, S., 167
Furuyama, T., see Miyazaki, N., 127

Ganguli, M., see Luedecking, E.K., 186
Gargiulo, G., see Lucini, C., 163
Gerber, K., see Filakovszky, J., 89
Goshima, Y., Honjo, K., Miyamae, T., Misu, Y., The evidence for tonic GABAergic regulation of basal L-DOPA release via activation of inhibitory GABA$_A$ receptors in the nucleus tractus solitarii of anesthetized rats, 155
Goshima, Y., see Honjo, K., 93
Greiner, C., see Hülsmann, S., 1
Guertin, P.A., Hounsgaard, J., L-Type calcium channels but not *N*-methyl-D-aspartate receptor channels mediate rhythmic activity induced by cholinergic agonist in motoneurons from turtle spinal cord slices, 81

Hüll, M., Eistetter, J., Fiebich, B.L., Bauer, J., Glutamate but not interleukin-6 influences the phosphorylation of tau in primary rat hippocampal neurons, 33
Hülsmann, S., Greiner, C., Köhling, R., Wölfer, J., Moskopp, D., Riemann, B., Lücke, A., Wassmann, H., Speckmann, E.-J., Dimethyl sulfoxide increases latency of anoxic terminal negativity in hippocampal slices of guinea pig in vitro, 1
Hagemann, G., see Reinecke, S., 85
Hilaire, G., see Lajard, A.M., 41
Hildebrand, C., see Lillesaar, C., 69
Hirunagi, K., see Tsukahara, S., 105
Hoffmann, A., see Corrêa, S.A.L., 131
Honjo, K., Goshima, Y., Miyamae, T., Misu, Y., GABA may function

PII: S0304-3940(99)00093-2

ELSEVIER

Neuroscience Letters 261 (1999) 192–194

Neuroscience Letters

# Author Index to Volume 261

Ahangari, R., see Samsam, M., 179
Alfonsi, E., see Sandrini, G., 5
Ali, S.F., see Hussain, S., 21
Amir, S., see Arvanitogiannis, A., 159
Anagnostou, E., see Skrandies, W., 57
Anthony, M., see Pan, Y., 17
Armstrong , R.A., Do &itl$\beta$-amyloid (A$\beta$) deposits in patients with Alzheimer's disease and Down's syndrome grow according to the log-normal model?, 97
Arvanitogiannis, A., Amir, S., Resetting the rat circadian clock by ultra-short light flashes, 159
Atzori, C., see Migheli, A., 25
Azzena, G.B., Mancinelli, R., Nitric oxide regenerates the normal colonic peristaltic activity in *mdx* dystrophic mouse, 9

Bagdy, G., see Filakovszky, J., 89
Balaban, P.M., see Malyshev, A.Y., 65
Bauer, J., see Hüll, M., 33
Bendotti, C., see Migheli, A., 25
Bert, L., see Desvignes, C., 175
Bodemer, M., see Kropp, S., 124
Boose, A., Dichgans, J., Topka, H., Deficits in phasic muscle force generation explain insufficient compensation for interaction torque in cerebellar patients, 53
Borbély, A.A., Schwierin, B., 61
Bosch, M.A., see Chai, L., 45
Botsford, S.A., Dean, C., Hopp, F.A., Seagard, J.L., Presence of glutamate receptor subtypes on barosensitive neurons in the nucleus tractus solitarius of the dog, 113
Bou, C., see Lajard, A.M., 41
Bruehl, C., see Reinecke, S., 85
Burgunder, J.-M., see Kaelin-Lang, A., 189

Carvalho, A.P., see Sequeira, S.M., 29
Carvalho, C.M., see Sequeira, S.M., 29
Castaldo, L., see Lucini, C., 163
Chai, L., Bosch, M.A., Moore, J.M., Rønnekleiv, O.K., Chronic prenatal cocaine treatment down-regulates $\mu$-opioid receptor mRNA expression in the brain of fetal Rhesus Macaque, 45
Cheng, J.-T., see Yu, W.-J., 37
Cheung, C.Y., Tang, F., The effect of streptozotocin-diabetes on $\beta$-endorphin level and proopiomelanocortin gene expression in the rat pituitary, 118
Chiba, A., Oka, S., Serotonin-immunoreactive structures in the central nervous system of the garfish *Lepisosteus productus* (Semionotiformes, Osteichthyes), 73
Chin, W.-T., see Yu, W.-J., 37
Cho, R., Kapur, S., Du, L., Hrdina, P., Relationship between central and peripheral serotonin 5-HT$_{2A}$ receptors: a positron emission tomography study in healthy individuals, 139
Clarkson, T.B., see Pan, Y., 17
Cordera, S., see Migheli, A., 25
Corrêa, S.A.L., Hoffmann, A., Reciprocal connections between the preglomerular complex and the dorsolateral telencephalon in the weakly electric fish, *Gymnotus carapo*, 131
Coveñas, R., see Samsam, M., 179

Dean, C., see Botsford, S.A., 113
DeKosky, S.T., see Luedecking, E.K., 186
Denoroy, L., see Desvignes, C., 175
Desvignes, C., Bert, L., Vinet, L., Denoroy, L., Renaud, B., Lambás-Señas, L., Evidence that the neuronal nitric oxide synthase inhibitor 7-nitroindazole inhibits monoamine oxidase in the rat: in vivo effects on extracellular striatal dopamine and 3,4-dihydroxyphenylacetic acid, 175
Dichgans, J., see Boose, A., 53
Du, L., see Cho, R., 139

Egorov, A.V., Müller, W., Subcellular muscarinic enhancement of excitability and $Ca^{2+}$-signals in CA1-dendrites in rat hippocampal slice, 77
Eistetter, J., see Hüll, M., 33

Fiebich, B.L., see Hüll, M., 33
Filakovszky, J., Gerber, K., Bagdy, G., A serotonin-1A receptor agonist and an *N*-methyl-D-aspartate receptor antagonist oppose each others effects in a genetic rat epilepsy model, 89
Fukamizu, A., see Okuyama, S., 167
Furuyama, T., see Miyazaki, N., 127

Ganguli, M., see Luedecking, E.K., 186
Gargiulo, G., see Lucini, C., 163
Gerber, K., see Filakovszky, J., 89
Goshima, Y., Honjo, K., Miyamae, T., Misu, Y., The evidence for tonic GABAergic regulation of basal L-DOPA release via activation of inhibitory GABA$_A$ receptors in the nucleus tractus solitarii of anesthetized rats, 155
Goshima, Y., see Honjo, K., 93
Greiner, C., see Hülsmann, S., 1
Guertin, P.A., Hounsgaard, J., L-Type calcium channels but not *N*-methyl-D-aspartate receptor channels mediate rhythmic activity induced by cholinergic agonist in motoneurons from turtle spinal cord slices, 81

Hüll, M., Eistetter, J., Fiebich, B.L., Bauer, J., Glutamate but not interleukin-6 influences the phosphorylation of tau in primary rat hippocampal neurons, 33
Hülsmann, S., Greiner, C., Köhling, R., Wölfer, J., Moskopp, D., Riemann, B., Lücke, A., Wassmann, H., Speckmann, E.-J., Dimethyl sulfoxide increases latency of anoxic terminal negativity in hippocampal slices of guinea pig in vitro, 1
Hagemann, G., see Reinecke, S., 85
Hilaire, G., see Lajard, A.M., 41
Hildebrand, C., see Lillesaar, C., 69
Hirunagi, K., see Tsukahara, S., 105
Hoffmann, A., see Corrêa, S.A.L., 131
Honjo, K., Goshima, Y., Miyamae, T., Misu, Y., GABA may function

PII: S0304-3940(99)00093-2

tonically via $GABA_A$ receptors to inhibit hypotension and bradycardia by L-DOPA microinjected into depressor sites of the nucleus tractus solitarii in anesthetized rats, 93
Honjo, K., see Goshima, Y., 155
Hopp, F.A., see Botsford, S.A., 113
Hounsgaard, J., see Guertin, P.A., 81
Hrdina, P., see Cho, R., 139
Hussain, S., Ali, S.F., Manganese scavenges superoxide and hydroxyl radicals: an in vitro study in rats, 21

Inagaki, S., see Miyazaki, N., 127
Inoue, T., see Miyazaki, N., 127
Ishida, N., see Sakamoto, K., 101
Itoh, Y., see Yoshioka, M., 171

Köhling, R., see Hülsmann, S., 1
Kaelin-Lang, A., Lauterburg, T., Burgunder, J.-M., Expression of adenosine A2a receptors gene in the olfactory bulb and spinal cord of rat and mouse, 189
Kakiuchi, T., see Tsujimoto, T., 135
Kamboh, M.I., see Luedecking, E.K., 186
Kapur, S., see Cho, R., 139
Kelly, P.A.T., see Yau, J.L.W., 183
Kretzschmar, H.A., see Kropp, S., 124
Kropp, S., Zerr, I., Schulz-Schaeffer, W.J., Riedemann, C., Bodemer, M., Laske, C., Kretzschmar, H.A., Poser, S., Increase of neuron-specific enolase in patients with Creutzfeldt-Jakob disease, 124
Kubo, T., see Miyazaki, N., 127

Lücke, A., see Hülsmann, S., 1
Lajard, A.M., Bou, C., Monteau, R., Hilaire, G., Serotonin levels are abnormally elevated in the fetus of the monoamine oxidase-A-deficient transgenic mouse, 41
Lamanna, C., see Lucini, C., 163
Lambás-Señas, L. see Desvignes, C., 175
Laske, C., see Kropp, S., 124
Lauterburg, T., see Kaelin-Lang, A., 189
Liau, S.-S., see Yu, W.-J., 37
Lillesaar, C., Hildebrand, C., Denervation does not affect the growth of rat vibrissae, 69
Lucini, C., Castaldo, L., Lamanna, C., Maruccio, L., Vega, J.A., Gargiulo, G., Neuronal and non-neuronal Trk neurotrophin receptor-like proteins in *Eisenia foetida* (Annelida Oligochaeta), 163
Luedecking, E.K., Ganguli, M., DeKosky, S.T., Kamboh, M.I., Genetic polymorphism in the persyn ($\gamma$-synuclein) gene and the risk of Alzheimer's disease, 186
Lutzenburg, M., see Reinecke, S., 85

Müller, W., see Egorov, A.V., 77
Maeda, K.-i., see Tsukahara, S., 105
Maekawa, F., see Tsukahara, S., 105
Malyshev, A.Y., Balaban, P.M., Synaptic facilitation in *Helix* neurons depends upon postsynaptic calcium and nitric oxide, 65
Mancinelli, R., see Azzena, G.B., 9
Maruccio, L., see Lucini, C., 163
Matsumoto, M., see Yoshioka, M., 171
Migheli, A., Cordera, S., Bendotti, C., Atzori, C., Piva, R., Schiffer, D., S-100$\beta$ protein is upregulated in astrocytes and motor neurons in the spinal cord of patients with amyotrophic lateral sclerosis, 25
Milanov, I., see Sandrini, G., 5
Misu, Y., see Goshima, Y., 155
Misu, Y., see Honjo, K., 93
Miyamae, T., see Goshima, Y., 155
Miyamae, T., see Honjo, K., 93
Miyazaki, N., Furuyama, T., Takeda, N., Inoue, T., Kubo, T., Inagaki, S., Expression of mouse semaphorin H mRNA in the inner ear of mouse fetuses, 127
Mocci, I., see Vaccari, A., 49
Mogil, J.S., Nessim, L.A., Wilson, S.G., Strain-dependent effects of supraspinal orphanin FQ/nociceptin on thermal nociceptive sensitivity in mice, 147
Moglia, A., see Sandrini, G., 5
Monteau, R., see Lajard, A.M., 41
Moore, J.M., see Chai, L., 45
Mori, K., see Yoshioka, M., 171
Moskopp, D., see Hülsmann, S., 1
Murakami, K., see Okuyama, S., 167

Nappi, G., see Sandrini, G., 5
Narváez, J.A., see Samsam, M., 179
Nessim, L.A., see Mogil, J.S., 147
Neumann-Haefelin, T., see Reinecke, S., 85
Noble, J., see Yau, J.L.W., 183

Ogawa, M., see Tsujimoto, T., 135
Oishi, K., see Sakamoto, K., 101
Oka, S., see Chiba, A., 73
Okada, T., see Sakamoto, K., 101
Okuyama, S., Sakagawa, T., Sugiyama, F., Fukamizu, A., Murakami, K., Reduction of depressive-like behavior in mice lacking angiotensinogen, 167
Olsson, T., see Yau, J.L.W., 183
Onuma, Y., see Sakamoto, K., 101

Pan, Y., Anthony, M., Clarkson, T.B., Evidence for up-regulation of brain-derived neurotrophic factor mRNA by soy phytoestrogens in the frontal cortex of retired breeder female rats, 17
Piva, R., see Migheli, A., 25
Poser, S., see Kropp, S., 124

Rønnekleiv, O.K., see Chai, L., 45
Reinecke, S., Lutzenburg, M., Hagemann, G., Bruehl, C., Neumann-Haefelin, T., Witte, O.W., Electrophysiological transcortical diaschisis after middle cerebral artery occlusion (MCAO) in rats, 85
Renaud, B., see Desvignes, C., 175
Riedemann, C., see Kropp, S., 124
Riemann, B., see Hülsmann, S., 1
Ruiu, S., see Vaccari, A., 49

Saba, P.L., see Vaccari, A., 49
Sakagawa, T., see Okuyama, S., 167
Sakamoto, K., Oishi, K., Okada, T., Onuma, Y., Yokoyama, K., Sugimoto, K., Ishida, N., Molecular cloning of the cone-rod homeobox gene (*Crx*) from the rat and its temporal expression pattern in the retina under a daily light–dark cycle, 101
Sako, N., Yamamoto, T., Analyses of taste nerve responses with special reference to possible receptor mechanisms of umami taste in the rat, 109

Samsam, M., Coveñas, R., Ahangari, R., Yajeya, J., Narváez, J.A., Tramu, G., Alterations in neurokinin A-substance P- and calcitonin gene-related peptide immunoreactivities in the caudal trigeminal nucleus of the rat following electrical stimulation of the trigeminal ganglion, 179
Sandrini, G., Milanov, I., Willer, J.C., Alfonsi, E., Moglia, A., Nappi, G., Different effect of high doses of naloxone on spinal reflexes in normal subjects and chronic paraplegic patients, 5
Sasaki, K., see Tsujimoto, T., 135
Scheich, H., see Schulze, H., 13
Schiffer, D., see Migheli, A., 25
Schulze, H., Scheich, H., Discrimination learning of amplitude modulated tones in Mongolian gerbils, 13
Schulz-Schaeffer, W.J., see Kropp, S., 124
Schwierin, B., Borbély, A.A., Tobler, I., Prolonged effects of 24-h total sleep deprivation on sleep and sleep EEG in the rat, 61
Seagard, J.L., see Botsford, S.A., 113
Seckl, J.R., see Yau, J.L.W., 183
Sequeira, S.M., Carvalho, A.P., Carvalho, C.M., Both protein kinase G dependent and independent mechanisms are involved in the modulation of glutamate release by nitric oxide in rat hippocampal nerve terminals, 29
Skrandies, W., Anagnostou, E., Electroencephalographic cortical oscillations and saccadic eye movements in humans, 57
Speckmann, E.-J., see Hülsmann, S., 1
Sugimoto, K., see Sakamoto, K., 101
Sugiyama, F., see Okuyama, S., 167

Tabira, T., see Tanahashi, H., 143
Takeda, N., see Miyazaki, N., 127
Takemoto, Y., Kynurenic acid inhibits circulatory responses to intracisternally injected L-proline in conscious rats, 121
Tanahashi, H., Tabira, T., Molecular cloning of human Fe65L2 and its interaction with the Alzheimer's $\beta$-amyloid precursor protein, 143
Tang, F., see Cheung, C.Y., 118
Tobler, I., Schwierin, B., 61
Togashi, H., see Yoshioka, M., 171
Topka, H., see Boose, A., 53
Tramu, G., see Samsam, M., 179
Tsujimoto, T., Ogawa, M., Tsukada, H., Kakiuchi, T., Sasaki, K., Activation of the insular and opercular regions of the monkey by drinking as revealed by positron emission tomography, 135
Tsukada, H., see Tsujimoto, T., 135
Tsukahara, S., Maekawa, F., Tsukamura, H., Hirunagi, K., Maeda, K.-i., Morphological characterization of relationship between gap junctions and gonadotropin releasing hormone nerve terminals in the rat median eminence, 105
Tsukamura, H., see Tsukahara, S., 105

Ueno, K.-i., see Yoshioka, M., 171

Vaccari, A., Saba, P.L., Mocci, I., Ruiu, S., Lanthanides stimulate [$^3$H]tyramine binding in the rat striatum, 49
Vega, J.A., see Lucini, C., 163
Vinet, L., see Desvignes, C., 175

Wölfer, J., see Hülsmann, S., 1
Wassmann, H., see Hülsmann, S., 1
Willer, J.C., see Sandrini, G., 5
Wilson, S.G., see Mogil, J.S., 147
Witte, O.W., see Reinecke, S., 85

Yajeya, J., see Samsam, M., 179
Yamamoto, T., see Sako, N., 109
Yau, J.L.W., Kelly, P.A.T., Olsson, T., Noble, J., Seckl, J.R., Chronic amitriptyline administration increases serotonin transporter binding sites in the hippocampus of aged rats, 183
Yokoyama, K., see Sakamoto, K., 101
Yoshioka, M., Itoh, Y., Mori, K., Ueno, K.-i., Matsumoto, M., Togashi, H., Effects of an interleukin-1$\beta$ analogue [Lys-D-Pro-Thr], on incomplete cerebral ischemia-induced inhibition of long-term potentiation in rat hippocampal neurons in vivo, 171
Yu, W.-J., Liau, S.-S., Chin, W.-T., Cheng, J.-T., Effect of serum in medium on the expression of inducible nitric oxide synthase and superoxide dismutases in cultured C6 glioma cells, 37

Zerr, I., see Kropp, S., 124
Zhou, X.-F., Peripheral projections of primary sensory neurons immunoreactive for brain-derived neurotrophic factor, 151